



12X16 GABLE SHED PLAN

FREE STREAMLINED VERSION



Supported & Recommended by our Friends & Partners:

wikiHow

Sarah x Sarah

MOVOTO

'BOUT HOME

eHow

COMPARISON BETWEEN OUR FREE & PREMIUM PLANS



VS.



PREMIUM 12X16 SHED PLAN:

- Instant email delivery (PDF) download
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet / PC / MAC ready
- Beginner friendly

FREE 12X16 SHED PLAN:

- Basic schematics
- Basic angles
- Basic measurements
- Simplified instructions
- No material list

NEED MORE INFORMATION ON THIS PREMIUM 12X16 SHED PLAN?

LEARN MORE!

AVAILABLE ONLY AT THE OFFICIAL 3DSHEDPLANS™ WEBSITE

Get the full 12x16 gable plan: material list, cut list and every measurement > www.3dshedplans.com/12x16-gable-shed-plan-v1/

DISCLAIMER

3DSHEDPLANS™ is here to help and assist the DIYer. All information / advice is for general guidance only and whilst every effort is made to ensure that it is correct, it should not be relied upon as accurate. The information / advice contained within this document is intended for persons of no less than 18 years of age. Use of the information / advice contained within this document is at your own risk. It is the sole responsibility of any person(s) using the information / advice contained within this document that their level of competence is appropriate for the task they want to complete. All users of information / advice contained within this document should have all work checked / tested by a professional qualified trades person where applicable. You should be aware of current regulations on buildings, gas, water and electrical works (i.e. Part P) if you have any doubts we would advise you to research further information or contact the appropriate professional body.

LIABILITY

3DSHEDPLANS™ and Netholics Media, LLC with the document through ownership and contribution will not accept any liability for any loss, damage, injury or negligence direct or indirect from use of the information / advice contained within this document. Any dispute arising from use of this document or disclaimer will be decided by the US courts under the relevant US law.

COPYRIGHT

3DSHEDPLANS™ is official & registered trademark in the US. All of the contents (text/slogan) and artwork (graphics/logo) within this document are the copyrighted and trademarked property of 3DSHEDPLANS™ & Netholics Media, LLC. No part of the text or artwork may be reproduced by any means or in any form whatsoever without written permission, except for brief quotations embodied in literary articles or reviews. And no part of this document may be reproduced without written permission of the owners. This Information may be stored on computer for personal use only by the client (who purchased the plans from our official store), not for presentation or publication.

1 BASIC OVERVIEW AND DIMENSIONS


This 12x16 gable shed has a spacious 7' 12" x 3' 8" door frame and a 3' x 3' window on the front wall. You will buy the door and window separately and follow the manufacturer's instructions to install them. The side of the shed is also home to a 3' x 3' window. Together, these windows let more than enough natural light into the shed for your storage needs. The back wall of the shed and the right wall of the shed are finished solid with T1-11 siding.




FRONT VIEW



DOOR



SIDE VIEW




WINDOW

NOTE


Professional tip section is only available in PREMIUM (full) version of the plan.

2 FOUNDATION AND FLOOR

The first stage to building your 12x16 gable shed is to build the foundation. The foundation supports the shed walls so it is absolutely crucial you get it right. It will be constructed from pressure-treated timber and tongue and groove plywood. As the name of this shed suggests, the foundation is to measure 12' x 16'. You will build your foundation as per the illustration above, being careful to space the floor skids and joists equally.



FOUNDATION BASE



3/4" Tongue
and Groove
Plywood

FLOOR




4x4 PRESSURE TREATED
SKID

NOTE

Professional tip section is only available in PREMIUM (full) version of the plan.

3 WALL STRUCTURES

The next step to building your 12x16 gable shed is to construct the wall frames. Illustrated above are the frames for the front wall and the back wall. For this, you will use no less than thirty pieces of timber to include wall studs, cripple studs, headers and plates. You will nail the timber and the frames together using 3 ½" galvanized nails. Both the front wall and back wall are to measure 16' wide and 7' 6" tall not including the top plate. Once constructed, you will finish the frames with T1-11 siding.





NOTE

Professional tip section is only available in PREMIUM (full) version of the plan.

4 WALL STRUCTURES

The side walls are less time-intensive to build than the front wall and back wall due to their smaller footprint. The right wall is to house a window though so this will take a little longer to build than the left wall. Both walls are to measure 12' wide at the bottom plate. Once you have built your wall frames, you will nail T1-11 siding onto them. You will nail this directly into the wall studs and other points of contact. The T1-11 siding should run 1 ½" past the bottom plate and be flush with the top plate and this applies to all shed walls.



NOTE

Make sure the edges of T1-11 do not overlap each other as this will compromise the functioning and appearance of the T1-11.

Get the full 12x16 gable plan: material list, cut list and every measurement > www.3dshedplans.com/12x16-gable-shed-plan-v1/

5 ROOF SECTION

With your walls complete it's time to move onto the roof. Firstly, you will construct your trusses which will be made into rafters afterwards. These must be identical to one another for the roof to sit level. For the two outermost rafters, you will nail T1-11 siding onto them and nail them into place along with the other rafters. With these in place, the next step is to screw your plywood sheathing onto the roof taking care to get it perfect. With this in place, you will nail and staple felt onto the roof before adding your shingles. This process will take you several hours at least, and we recommend it as a 2-person job. If doing it alone, simply take your time to create a professional finish.



NOTE

Professional tip section is only available in PREMIUM (full) version of the plan.

wikiHow

MOVOTO

eHow

Sarah x Sarah

'BOUT HOME



**Wait no more! Save time & money now...
Get your own professional 12X16 gable shed
plan and start building your dream shed today!**
Click here and go PREMIUM!

PREMIUM PLAN INCLUDES:

- Instant email delivery (PDF) download
- 30+ detailed 3D schematics
- Views from all angles
- Measurements for every part
- Full layouts for every step
- Step-by-step assembly instructions
- Full material / shopping list
- Full cutting list
- PRO-TIPS for every section
- Mobile / Tablet / PC / MAC friendly
- Beginner friendly



LEARN MORE!